



**PDM PAKETLEME VE DOLUM MAKİNALARI**  
**MAK. İMALAT ELEKT. İNŞAAT GIDA İTH. İHR. SAN. TİCARET LTD. ŞTİ.**

İvedik O.S.B. 1371. Sk. No: 23 Ostim/ANKARA  
Tel: +90 312 395 02 78 - Fax: +90 312 395 02 79  
info@pdmakina.com.tr



[www.pdmakina.com.tr](http://www.pdmakina.com.tr)







## Innovative power of the sector ..

### Preface

Playing a part in the industry since 2004 PDM machine was established in 2010. PDM is one of those unique companies in the world which manufacture filling machine

Starting with manuel cream filling machines PDM fabricates the filling machines that can fill up yogurt ,buttermilk,milk ,cream ,fruit juice and many more depending upon the request of its costumers

PDM machine which has a long way in a short time has exported the Turkish brand name to 7 countries by exporting. Located between it is among the leading organizations in the PDM machinery industry in Turkey , adopted quality and trust in principle, the trading life is based on integrity and honesty.

PDM applies optimal pattern of production by paying attention to Codex Alimentarius and technology in machine manufacturing.

Showing ultimate attention in machine manufacturing ,PDM also supports its customers by follow -up service

Adopting both quality in manufacturing and serving as a principle ,PDM will beproceeding its way as a modern company which differs by its innovative approach and values people

Many thanks to all companies supporting us .

PDM "One step ahead .."

PDM "The world's technology"



PDM "Produce value adds"





**High technology requires precise approaches.**





## **PDM-R-1X100 750 CUPS PER HOUR FOR 1KG**

Filling product strained yoghurt-  
chocolate cream etc  
Full Automatic CIP System  
Volumetric - easy removable &  
cleanable filling system  
Special Design using different  
cups for customer requests



## **PDM-MD-2 100 CUPS PER MINUTE**

100 cups per minute  
Manual setting from 10 to 50 gr  
Volumetric system  
Two different head  
easy remove and cleanable filling system  
Special design for customer request

## **PDM-TD-X4 9000 LITER PER HOUR ( FOR 2000 GRAM)**

9000 liter per hour ( for 2000 gram)  
Adjustable filling amount on HMI  
Full Automatic CIP System  
From 1 to 4 different filling heads  
Different filling amount for 4 heads  
Flowmetric and easy removable filling system



## **PDM-L-3X100-S DRUM YOGURT FILLING MACHINE**

- \*Product yeast yogurt milk
- \*Capacity (2000 gram ) 1800 cup /pcs.
- \*Adjustable from the control panel grammage
- \*Proper fully automatic CIP system
- \*Fully automatic filling power off and sterile environment
- technical characteristics**
- \*All units are fully automatic with servo motorpneumatic and mechanics
- \*Flowmeter easy clearable filling
- \*Bobbin cut bonding
- \*Automatic cover taking
- \*2-3-4 line design
- \*Special Design different cups for customer requests







**PDM-R-1X100 750 CUPS  
PER HOUR FOR 1KG**

Filling product strained yoghurt-  
chocolate cream etc  
Full Automatic CIP System  
Volumetric - easy removable &  
cleanable filling system  
Special Desing using different  
cups for customer requests







### **PDM-R-2X75 FILLING PRODUCT AYRAN AND YOGHURT MILK**

PDM-R-2x75 Filling product Ayran and yoghurt milk  
 Filling product Ayran and yoghurt milk  
 2500 cups per hour  
 Adjustable filling amount on HMI  
 Full Automatic CIP System  
 Closed and sterilized filling system  
 Special Design Gearbox  
 Flowmetric or Gravity flow filling system  
 Easy cleanable filling nozzles  
 Conveyor is suitable for inkjet dating  
 Easy remove and cleanable sealing system  
 Special Desing using different cups for customer requests  
 Special Desing From 1 line to 5 line



### **PDM - L -10X75 -R BUTTERMILK FILLING MACHINE**

- \*Product buttermilk and yogurt milk
- \*Capacity 200 gram 19000 cup /hour
- \* Control panel grammage
- \*Full Automatic CIP System
- \*Closed and sterilized filling system
- technical characteristics
- \*All stations controlled by servos and pneumatics
- \*Automatic cup feeding system
- \*Flowmetric & easy cleanable filling system
- \*Foil(Lid) Feeding When machine is working
- \*Easy remove and cleanable sealing system
- \*Ready Travers system for inkjet suitable
- \*Cup burst subscriber's meter system
- \*Automatic Tray (foil) feeding system
- \*5-8-10-12 line special design
- \*Special Desing different cups for customer requests
- \*Automatic cup taking system







### PDM -LS -400 YEAST YOGURT MILK FILLING MACHINE

- \*Capacity (2 kg ) - 3000 cup / hour
- \*Adjustable from the control panel grammage range
- \*Proper fully automatic CIP system
- \*Ability to fully automatic filling power off and sterile environment

#### technical characteristics

- \*All units are fully automatic with servo motor pneumatic and mechanics
- \*Flowmeter filling system
- \*In machine sterilization system
- \*Lid feed at work
- \*Fully automatic operation feature on 2 and 3 kg cups
- \*Easy to pass system for products of different dimensions
- \*Optionally in the direction of customer demand different cups special designs



### PDM-R-3X132-R FILLING PRODUCT YOGHURT MILK

- 2250 cups per hour
- Adjustable filling amount on HMI
- Full Automatic CIP System
- Closed and sterilized filling system
- use this machine close the creamed yoghurt
- Using servo motor for main turntable
- Flowmetric & easy cleanable filling system
- Using Wrapped foil or ready foil
- Automatic cover closing
- Inkjet dating system using machine inside or on the conveyor belt
- Filled Cups closing system
- Using different cups From Q95 to Q190mm
- Easy and very little set up time
- Special design for customer request



### PDM -RT-75-95 ROBOTLU TOPLAMA

- \*Filled Cups pick&place system
- Adjustable speeds on HMI
- 8000 cups/ per hour
- Automatic Tray Feeding
- Special Design for customer request







## **PDM-R-2X118-160-R** **FILLING PRODUCT YOGHURT MILK**

Filling product yoghurt milk  
1400-1600 cups per hour  
Adjustable filling amount on HMI  
Full Automatic CIP System  
Closed and sterilized filling system  
use this machine close the creamed yoghurt  
Using servo motor for main turntable  
Flowmetric & easy cleanable filling system

Using Wrapped foil or ready foil  
Automatic cover closing  
Inkjet dating system using machine inside  
or on the conveyor belt  
Filled Cups closing system  
Using different cups From Q95 to Q190mm  
Easy and very little set up time  
Special design for customer request







## **PDM -9X86-97 CREAM - FRUIT YOGURT FILLING MACHINE**

- \*Capacity 9000 cup/hour
- \*Adjustable filling amount on HMI
- \*Closed and sterilized filling system
- \*Ready Travers system for inkjet suitable
- \*Burst control system
- \*Automatic cover taking at work cover feeding
- \*Automatic cup taking system
- \*Automatic Tray feeding system
- \*On the screen 97 or 86 diameter free standing working
- \*Special Desing different cups for customer requests technical characteristics
- \*All stations controlled by servos and pneumatics
- \*Filling servos powered volumetric system easy remove and cleanable design
- \*Foil feeding when machine is working
- \*Easy remove and cleanable sealing system
- \*Automatic Cup Feeding System



## **PDM-K-X2-S Manual bottle filling machine**

- Ayran, Dairy Milk, kefir(Kephir) etc
- Adjustable filling amount on HMI
- Easy Cleanable filling nozzles
- Full automatic CIP system
- Closed and sterilized filling system
- Flowmetric Filling system
- Easy adjustable system for different bottles (very little set-up time)
- Automatic filling system which supported servos and pneumatics
- Automatic cover taking system
- Easy cleanable modular conveyor belt
- Automatic cover pressing and screwing system
- Automatic Labeling machine
- Special Desing for customer request







Ayran, Dairy Milk, kefir(Kephir) etc  
Adjustable filling amount on HMI  
Easy Cleanable filling nozzles  
Full automatic CIP system  
Closed and sterilized filling system  
Flowmetric Filling system  
Easy adjustable system for different bottles  
( very little set-up time)  
Automatic filling system which supported servos and pneumatics  
Automatic cover taking system  
Easy cleanable modular conveyor belt  
Automatic cover pressing and screwing system  
Automatic Labeling machine  
Special Desing for customer request



PDM-R-4x75 Filling product Ayran and yoghurt milk  
Filling product Ayran and yoghurt milk  
5500 cups per hour  
Adjustable filling amount on HMI  
Full Automatic CIP System  
Closed and sterilized filling system  
Special Design Gearbox  
Flowmetric or Gravity flow filling system  
Easy cleanable filling nozzles  
Conveyor is suitable for inkjet dating  
Easy remove and cleanable sealing system  
Special Desing using different cups for customer requests  
Special Desing From 1 line to 5 line





**PDM-LS-400 YEAST  
YOGURT MILK FILLING MACHINE**

- \*Capacity (2 kg ) - 3000 cup / hour
- \*Adjustable from the control panel grammage range
- \*Proper fully automatic CIP system
- \*Ability to fully automatic filling power off and sterile environment

**technical characteristics**

- \*All units are fully automatic with servo motor pneumatic and mechanics
- \*Flowmeter filling system
- \*In machine sterilization system
- \*Lid feed at work
- \*Fully automatic operation feature on 2 and 3 kg cups
- \*Easy to pass system for products of different dimensions
- \*Optionally in the direction of customer demand different cups special designs







#### PDM -K-X6-S FULLY AUTOMATIC FILLING MACHINE

##### Products

- \*Honey ,jam ,molasses ,chocolate etc. products filling
- \*Adjustable from the control panel grammage range
- \*Easy cleanable filling unit
- \*Ability to fully automatic filling power off and sterile environment

##### technical characteristics

- \*The filling unit is volumetric system and fully automatic with servo and pneumatics
- \*Fully automatic cover taking
- \*Automatic cover clamping
- \*Automatic labelling
- \*Easy cleanable modular band
- \*Feeding and collection drums
- \*Customer demand different cup and bottle special designs



#### PDM -LS-200 YEAST YOGURT MILK FILLING MACHINE

- \*Capacity (2 kg ) - 1500 cup / hour
- \*Adjustable from the control panel grammage range
- \*Proper fully automatic CIP system
- \*Ability to fully automatic filling power off and sterile environment

##### technical characteristics

- \*All units are fully automatic with servo motor pneumatic and mechanics
- \*Flowmeter filling system
- \*In machine sterilization system
- \*Lid feed at work
- \*Fully automatic operation feature on 2 and 3 kg cups
- \*Easy to pass system for products of different dimensions
- \*Optionally in the direction of customer demand different cups special designs





